


















Risk assessment name	Bowling	Assessment type	 General
Assessor name	Stuart James	Affected site(s)	Out of Bounds Ltd (BN16 4NB)
Assessment date	09/03/2022	Review period	Annually
Approved by	Stuart James	Review date	09/03/2023
Approved date	09/03/2022	Reference	OUT1419997

Workspace(s)	Description
 Storage	12 lanes of bowling

Overall risk rating : 4 (**Medium**)

Hazard	Who could be harmed and how?	Existing controls
 <p>Crushing</p>	<p>Operators</p> <p>How Many? 1</p> <p>How? Repair and maintenance to the bowling lanes</p>	<p> Isolate machine before accessing interior of machine The power to any machine is isolated before gaining access to the interior of the machine. This involves switching off at the mains and unplugging from the socket</p> <p> Only trained and authorised people operate the equipment/machine Only trained and authorised people operate the equipment/machine. Supervision to ensure that this is monitored at all times</p> <p> Machine loaded correctly The machine balance is checked and sensibly balanced before use</p> <p> Operator mindful of other people in the area whilst operating machine If people are in the immediate vicinity, the operation is stopped</p>

Hazard	Who could be harmed and how?	Existing controls
 <p>Moving parts of machinery</p>	<p>All staff, Contractors</p> <p>How Many? 1</p> <p>How? Machinery breakdowns</p>	
 <p>Poor Lighting</p>	<p>All staff, Members of the public</p> <p>How Many? 1-80</p> <p>How? UV Lights and disco lights present</p>	 <p>Ensure adequate lighting levels at all time</p>
 <p>Rotating Machinery</p>	<p>All staff, Contractors, Members of the public</p> <p>How Many? 1-80</p> <p>How? Balls moving on the ball return.</p>	 <p>Safe Working Signage displayed</p>
 <p>Slippery Floors</p>	<p>All staff, Members of the public</p> <p>How Many? 1-80</p> <p>How? Floor slippery past foul line</p>	 <p>Foul Line Lane machine used to clean and oil lanes, buzzer working to ensure users do not step over the line.</p>

Hazard	Who could be harmed and how?	Existing controls
 <p>Strenuous activity</p>	<p>Members of the public</p> <p>How Many? 1-80</p> <p>How? Causing injury through excessive weight or messing around during play</p>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">  <p>Correct bowling ball and technique Team to supervise and advise customers on ball size and technique.</p> </div> <div style="width: 45%;">  <p>Manual handling training All joiners/machine operators have received training on correct manual handling techniques</p> </div> </div>

Further control measures

None required

Operating procedures

Normal Operating Procedure
Role Specific Induction
Daily Check Sheets

Assessor's signature: Stuart James

Approved by signature: Stuart James